GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR&RD Department - Allegations of irregularities in execution of Road works under NREGS in Srikakulam and Vizianagaram Districts – Disciplinary proceedings against Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Orders - Issued.

- -

PANCHAYAT RAJ AND RURAL DEVELOPMENT(VIG.I) DEPARTMENT

G.O.RT.No. 461 **Dated: 12-05-2016**
Read the following:

1. From ENC, PR, A.P., Hyd., Lr.No.Vig.I(1)/1001/2015, Dt.04.08.2015.

***

ORDER:

It is proposed to hold an inquiry against Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, in accordance with the procedure laid down in Rule 20 of APCS(CC&A) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I and II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, is directed to submit a Written statement of his defence within 10 days of the receipt of this order.

4. Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of APCS (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex parte.

6. Attention of Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, is invited to Rule 24 of the APCS(Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matter pertaining to his service under the Govt., If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of Andhra Pradesh Civil Services(Conduct) Rules, 1964.

(Contd……)

6. The receipt of the order be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT(PR)

To
Sri A.Prabhakara Rao, the then Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam, **through** Engineer-in-Chief, PR, A.P., Hyderabad.
The ENC, PR, A.P., Hyderabad. (with a request to serve the charges to the individual and furnish a served copy to Govt.,)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE –I

Statement showing the Article of Charges framed against Sri A. Prabhakara Rao, former Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam.

ARTICLE OF CHARGE:

That Sri A.Prabhakara Rao, former Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam during his tenure as Executive Engineer, PRI Division, Srikakulam executed construction of internal CC roads and drains in New SC colony to Pydibheemavaram in Srikakulam, under MGNREGS during 2013-14 and committed certain irregularities like (i) deficiency observed in both length and thickness of CC pavement, (ii) deficit amount for excess length of CC pavement recorded, (iii) rejected value for Bit II as deficiency in thickness (43.20%) is more than 20%, (iv) recovery value for polythene sheet not actually on ground. He is responsible for misappropriation of Government funds to a tune of amount of Rs.4,98,008/-.

By his above mentioned act, Sri A.Prabhakara Rao, former Executive Engineer failed to discharge his duties, lack of integrity, devotion to duty and conduct unbecoming of a Government Servant & thereby contravened Rules, 3(1) and 3(2) of APCS (Conduct) Rules, 1964.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE-II

Statement of imputations of misconduct in support of Article of Charges framed against Sri A. Prabhakara Rao, former Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam.

Engineer in Chief, Panchayat Raj, Andhra Pradesh, Hyderabad, has submitted the inspection reports received from CE, PR, V&QC, regarding execution of the road works under NREGS in Srikakulam and Vizianagaram Districts.

Work No.1: Construction of Internal CC roads and Drains in New SC colony to Pydibheemavaram.

The work was inspected by Sri D.Buggaiah, EE, VSP & S.Radha Krishna, DEE, Srikakulam and observed:-

i. Deficiency in both length and thickness of CC Pavement.
ii. Deficit amount for excess length CC pavement recorded.
iii. Rejected value for Bit II as deficiency in thickness (43.20%) is more than 20%.
iv. Recovery value for polythene sheet not actually on ground and proposed to recover an amount of Rs.4,98,008/-.

By his above mentioned act, Sri A.Prabhakara Rao, former Executive Engineer failed to discharge his duties, lack of integrity, devotion to duty and conduct unbecoming of a Government Servant & thereby contravened Rules, 3(1) and 3(2) of APCS (Conduct) Rules, 1964.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – III

List of documents by which the articles of charges framed against Sri A. Prabhakara Rao, former Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam are proposed to be sustained.

Lr.No.QC1/MGNREGS/VSP/2015, Dated: 18.03.2015 of Chief Engineer, PR, Hyderabad.

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – IV

List of witnesses by whom the articles of charges framed against Sri A. Prabhakara Rao, former Executive Engineer, PRI, Srikakulam, now at PIU Division, Visakhapatnam are proposed to be sustained.

---Nil---

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

//FORWARDED::BY::ORDER//

SECTION OFFICER